Journal of Organometallic Chemistry, 378 (1989) C23–C24
Elsevier Sequoia S.A., Lausanne – Printed in The Netherlands

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 378, (1989)

AUTHOR INDEX

Abel, E.W., (378) 473
Abu-Orabi, S.T., (378) 33
Agirbas, H., (378) 303
Aguirre, A., (378) C11
Alt, H.G., (378) 33
Angelici, R.J., (378) 81
Antipova, B.A., (378) 235
Ates, M., (378) 327
Atiya, G.A., (378) 307
Aumann, R., (378) 57, 171, 185

Beer, P.D., (378) 437
Belciug, M.-P., (378) 469
Berke, H., (378) 211
Bochkarev, M.N., (378) 363
Boersma, J., (378) 115
Boese, R., (378) 449
Bonati, F., (378) 139
Brauer, D.J., (378) 125
Breunig, H.J., (378) 327
Brintzinger, H.-H., (378) 153
Bürger, H., (378) 125
Burger, P., (378) 153

Cameron, M., (378) 493
Campero, A., (378) 91
Carlton, L., (378) 469
Cecchi, P., (378) 139
Chen, C., (378) 147
Cheng, C.-Y., (378) 45
Chi, Y., (378) 45
Cingolani, A., (378) 139
Coville, N.J., (378) 401
Cutler, A.R., (378) 421

Dahlenburg, L., (378) 199
De Graaf, W., (378) 115
Dement'ev, V.V., (378) 235
Deshpande, S.S., (378) 103
Diemert, K., (378) 17
Dörrenbach, F., (378) 125
Doyle, R.A., (378) 81
Dräger, M., (378) 327
Drew, M.G.B., (378) 437

Ellermann, J., (378) 73
Elsevier, C.J., (378) 115
Engelhardt, H.E., (378) 33
Eremenko, I.L., (378) 67
Erker, G., (378) 163
Evertz, K., (378) 153

Fedorova, E.A., (378) 363
Filippou, A.C., (378) 387
Frunze, T.M., (378) 235

Gamasa, M.P., (378) C11
Garlaschelli, L., (378) 457
Garnes, K.T., (378) 293
Gimeno, J., (378) C11
Giuseppetti-Dery, M.E., (378) 421
Goddard. R., (378) 185
Gopinathan, C., (378) 103
Gopinathan, S., (378) 103
Gowenlock, B.G., (378) 239, 493
Graaf, W., de, (378) 115
Grady, A.S., (378) 307
Grünleitner, W., (378) 387
Guhl, D., (378) 279
Güleç, S., (378) 327

Hammel, A., (378) 347
Hey, E., (378) 375
Heys, J.R., (378) 293
Hoberg, H., (378) 279
Huang, Y.-Z., (378) 147
Humphrey, M.G., (378) 163
Hund, H.-U., (378) 153, 211

Iapalucci, M.C., (378) 457

Jackson, S.A., (378) 307
Johnston, P., (378) 401

Kamalov, G.L., (378) 67
Keefe, A.D., (378) 437
Keller, H., (378) C19
Khrushcheva, N.S., (378) 227

Kölle, U., (378) 449
Korshev, S.Ya., (378) 363
Kossakowski, J., (378) 449
Koten, G., van, (378) 115
Kreissl, F.R., (378) C19
Krüger, C., (378) 185
Kuchen, W., (378) 17
Kunkely, H., (378) C15

Landrum, B.E., (378) 421
Landvatter, S.W., (378) 293
Lastra, E., (378) C11
Leins, A.E., (378) 401
Liao, Y., (378) 147
Lindsell, W.E., (378) 245
Lixandru, T., (378) 99
Lobbia, G.G., (378) 139
Long, N.J., (378) 473
Longoni, G., (378) 457
López, T., (378) 91
Lorenzen, D., (378) 17
Lorenzotti, A., (378) 139
Löwe, C., (378) 211

Malitesta, C., (378) 239
Mann, K.R., (378) 255
Marchionna, M., (378) 457
Markwell, A.J., (378) 401
Mazilu, I., (378) 99
Moll, M., (378) 73

Ng, S.W., (378) 339
Nobile, C.F., (378) 239

Orrell, K.G., (378) 473
Osborne, A.G., (378) 473
Ovchinnikov, Yu.E., (378) 235

Parker, N., (378) 307
Pasynskii, A.A., (378) 67
Pawelke, G., (378) 125
Penyagina, I.M., (378) 363
Petrovskii, P.V., (378) 67
Pietsch, B., (378) 199
Pikies, J., (378) 317
Predieri, G., (378) 109

Rad'kov, Yu. F., (378) 363
Reutov, O.A., (378) 227
Rheingold, A.L. (378) 339
Rhodes, C.J., (378) 303
Rodman, G.S., (378) 255
Rogers, R.D., (378) 33
Roller, S., (378) 327
Russell, D.K., (378) 307

Sabbatini, L., (378) 239
Sacco, A., (378) 239
Sappa, E., (378) 109
Schröder, J., (378) 57, 185
Schwarz, W., (378) 347
Scutaru, B., (378) 99
Scutaru, D., (378) 99
Sen, A., (378) 485
Shaposhnikova, A.D., (378) 67
Shibley, J.L., (378) 421
Shklover, V.E., (378) 235
Šik, V., (378) 473
Simionescu, Cr., (378) 99
Sokolov, V.I., (378) 227
Stadnichenko, R.A., (378) 67
Statler, J., (378) 293
Stegmair, C., (378) C19
Steinmetz, M.G., (378) 1
Stone, F.G.A., (378) 81
Struchkov, Yu.T., (378) 67, 235, 363

Tataru, L., (378) 99
Tiripicchio, A., (378) 109
Tomb, P.J., (378) 245
Trentmann, B., (378) 171
Troitskaya, L.L., (378) 227
Tzschach, A., (378) C1

Udayakumar, B.S., (378) 1
Uhlig, W., (378) C1
Ullrich, N., (378) C19

Van Koten, G., (378) 115
Vasopollo, G., (378) 239, 493
Vetter, W.M., (378) 485
Vignali, C., (378) 109
Vogler, A., (378) C15

Wang, S.-L., (378) 45
Weidlein, J., (378) 347
Weuter, W., (378) 125
Will, N., (378) 73
Wojnowski, W., (378) 317

Yanovsky, A.I., (378) 67

Zakharov, L.N., (378) 363
Zamaev, I.A., (378) 235
Zambonin, P.G., (378) 239
Zhu, F., (378) 147

JOURNAL OF ORGANOMETALLIC CHEMISTYR, VOL. 378 (1989)

SUBJECT INDEX

Aluminium

Trimethylaluminium; trapping of the dimethylaluminium radical in laser-powdered homogeneous pyrolysis of (G.A. Atiya, A.S. Grady, S.A. Jackson, N. Parker, D.K. Russell), (378) 307

Antimony

$(Me_3Ge)_2Sb–Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

Tertiary stibines, reduction of some organic compounds by (Y.-Z. Huang, C. Chen, F. Zhu, Y. Liao), (378) 147

Arsenic

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7(L–L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

Boron

Diethyl- and diisopropylamino-trifluoromethylboranes, synthesis reactions with HF, HCl, HBr and H_2O of; crystal structure of $(CF_3)_2BN(i\text{-}Pr)_2$ revealing a very short B–N bond (D.J. Brauer, H. Bürger, F. Dörrenbach, G. Pawelke, W. Weuter), (378) 125

Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91

Calcium

$M(C_5H_4CH_3)_2 \cdot CH_3OCH_2CH_2OCH_3$ (M = Ca, Yb), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347

Chromium

$(\pi^6\text{-}C_6H_4R_3)(CO)_3Cr$ (R = Me, Et), photo-induced rearrangement with acetylenes of; molecular structure of $(C_6H_3Me_3)(CO)Cr(\mu\text{-}CO)\{\mu\text{-}C_2[C(OEt)_2H]_2\}Cr(CO)_4$ (H.G. Alt, H.E. Engelhardt, R.D. Rogers, S.T. Abu-Orabi), (378) 33

$[Cr(CO)_5I]$, induced photoredox reaction by ligand to metal charge transfer excitation of (H. Kunkely, A. Vogler), (378) C15

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171

Cobalt

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Copper

$[Cu_3(\mu_3\text{-}\eta^1\text{-}C{\equiv}CPh)(\mu\text{-dppm})_3][BF_4]_2$, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Heterobinuclear complexes $[WM(CO)_3(PPh_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Rh, Cu), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Germanium

Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363

$(Me_3Ge)_2Sb\text{–}Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

Gold

^{195}Au and ^{14}C-labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Garnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293

Hafnium

(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163

Iridium

$[M(COD)(\mu\text{-L})]_2$ (M = Rh, Ir; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Iron

Carbon disulphide and carbon dioxide adducts $(\eta\text{-}C_5H_5)(CO)_2Fe\text{–}CX_2^-$, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421

Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopentanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227

S-(1-Ferrocenylethyl)thioglycolic acid, kinetics of the synthesis of (D. Scutaru, L. Tătaru, I. Mazilu, B. Scutaru, T. Lixandru, C. Simionescu), (378) 99

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1′-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235

Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91

Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Lithium

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Magnesium

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Manganese

Dicarbonylcyclopentadienylmanganese fragments, reactions with propiolic aldehyde acetals of (C. Löwe, H.-U. Hund, H. Berke), (378) 211

$[Mn(CO)_5Br]$ and $Re[CO]_5Br]$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Mercury

Dibenzylmercury radical cations, ESR study of (C.J. Rhodes, H.A. Agirbas), (378) 303

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Metallocenes

(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163

Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopentanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1′-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235

Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Molybdenum

Molybdenum d^6-ML_5 fragments of hydrido derivatives, investigation of C–H activation by (L. Dahlenburg, B. Pietsch), (378) 199

Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleitner), (378) 387

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Transformation of phenylacetylene into *ortho*-metallated phenylvinylidene cluster having a Re_2Mo_2 core; molecular structure of $(C_5H_5)_2Mo_2Re_2(\mu_4\text{-}C{=}C(H)C_6H_4)(\mu\text{-}H)(\mu\text{-}CO)(CO)_7$ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, Yu.T. Struchkov, A.I. Yanovsky, P.V., Petrovskii), (378) 67

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Nickel

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279

Osmium

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-}H)_3$, ($L = C_5H_5$, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Palladium

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

$[Mn(CO)_5Br]$ and $Re[CO]_5Br]$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

Platinum and palladium α-ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485

Phosphorus

Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103

^{195}Au and ^{14}C-labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Garnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7(L\text{–}L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

$[Cu_3(\mu_3\text{-}\eta^1\text{-}C{\equiv}CPh)(\mu\text{-dppm})_3][BF_4]_2$, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Molybdenum d^6-ML_5 fragments of hydrido derivatives, investigation of C–H activation by (L. Dahlenburg, B. Pietsch), (378) 199

Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Platinum

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

Platinum and palladium α-ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Rhenium

[$Mn(CO)_5Br$] and Re[$CO]_5Br$], Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

Rhodium

Dihydrobis(triphenylphosphine)rhodium(III) complexes of aromatic N-donor carboxylates, ^{15}N NMR spectra of (L. Carlton, M.-P. Belciug), (378) 469

Heterobinuclear complexes [$WM(CO)_3(PPh_3)_2(\eta^5\text{-}C_5H_5)$] (M = Rh, Cu), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne [$HB(pz)_3$]$(CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Hydrocarboxylation of isoprene catalysed by iodocarbonylrhodium derivatives (L. Garlaschelli, M. Marchionna, M.C. Iapalucci, G. Longoni), (378) 457

[$M(COD)(\mu\text{-}L)]_2$ (M = Rh, Ir; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Ruthenium

Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7$(L–L), chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

[$\eta^5\text{-}C_5Me_5RuOMe]_2$ and [$(\eta^5\text{-}C_5Me_5Ru)_3(\mu_3\text{-}OMe)_2$]$PF_6$, comparison of molecular structures of (U. Kölle, J. Kossakowski, R. Boese), (378) 449

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-}H)_3$, (L = C_5H_5, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Selenium

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Trimethylplatinum(IV) halide complexes, [$PtXMMe_3${$(C_5H_4ECH_3)_2Fe$}] (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Silicon

Chloroplatinic acid catalysed cyclization of silanes bearing pendant acetylenic groups (M.G. Steinmetz, B.S. Udayakumar), (378) 1

Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317

$(Me_3Ge)_2Sb\text{–}Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

Phenylsilanes formation of silyltriflates from (W. Uhlig, A. Tzschach), (378) C1

Sulphur

Carbon disulphide and carbon dioxide adducts $(\eta\text{-}C_5H_5)(CO)_2Fe\text{–}CX_2^-$, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne [$HB(pz)_3$]$(CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Trimethylplatinum(IV) halide complexes, $[PtXMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Thallium

Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

Tin

Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339

$(Me_3Ge)_2Sb–Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

Tris(pyrazolyl)borates, preparations of (G.G. Lobbia, F. Bonati, P. Cecchi, A. Cingolani, A. Lorenzotti), (378) 139

Titanium

(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163

Tungsten

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleitner), (378) 387

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-}H)_3$, (L = C_5H_5, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Thio- and seleno-ketene imines from thio- and seleno-carbene complexes of chromium, tungsten, manganese and isocyanides (R. Aumann, J. Schröder, C. Krüger, R. Goddard), (378) 185

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Ytterbium

Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363

$M(C_5H_4CH_3)_2 \cdot CH_3OCH_2CH_2OCH_3$ (M = Ca, Yb), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347

Zinc

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Zirconium

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375